Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
11	0	assign\$4 near10 weight\$4 near10 (response\$3 adj time\$1 ) and 718/102-105 ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 12:51
L2	3	assign\$4 near10 weight\$4 near10 (response\$3 adj time\$1 ) and 709/217-219,223-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 12:52
S1	<b>5</b>	weight\$4 with prox\$4 with upstream\$4 and @ad<"20011102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÖFF	2004/12/29 10:02
S2	0	weight\$4 with prox\$4 with upstream\$4 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 10:02
<b>53</b>	27	weight\$4 with prox\$4 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 10:06
S4	60	assign\$4 near10 weight\$4 near10 (proxy proxies server\$1) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 10:08
<b>S</b> 5		assign\$4 near10 weight\$4 near10 (proxy proxies ) and SIP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 10:13
S6	1	assign\$4 near10 weight\$4 near10 (proxy proxies ) and invite\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 10:08
S7	2	assign\$4 near10 weight\$4 near10 (proxy proxies ) and @ad<"20011102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 10:14

S8	26	assign\$4 near10 weight\$4 near10 (proxy proxies cach\$4) and @ad<"20011102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 10:20
<b>S9</b>	2.	assign\$4 near10 weight\$4 near10 (proxy proxies) and @ad<"20011102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	OFF	2004/12/29 10:21
S10	245	assign\$4 near10 weight\$4 near10 (response\$3 ) and @ad<"20011102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 11:02
<b>S11</b>	15	assign\$4 near10 weight\$4 near10 (response\$3 adj time\$1 ) and @ad<"20011102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 12:51
S12	169	proxy near10 load\$1 near10 balanc\$4 and @ad<"20011102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 11:04
S13	86	proxy near10 load\$1 near10 balanc\$4 and response\$1 near4 time\$1 and @ad<"20011102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	.2004/12/29 11:04
S14	12	proxy near10 load\$1 near10 balanc\$4 same response\$1 near4 time\$1 and @ad<"20011102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 11:04
S15	1	assign\$4 near10 weight\$4 near10 (response\$3 near5 delay\$4 ) and @ad<"20011102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 11:09
S16	1	assign\$4 near10 weight\$4 near10 (respon\$6 near5 delay\$4 ) and @ad<"20011102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 11:09
S17	8	assign\$4 near10 weight\$4 near10 ( delay\$4) and @ad<"20011102" and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	OFF	2004/12/29 11:10

S18	14	SIP near10 invite near10 respon\$6 and @ad<"20011102" and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 11:14
S19	Ö	SIP near10 invite near10 delay\$4 and @ad<"20011102" and "709"/\$:ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 11:12
S20	4	overload\$4 near10 respons\$4 near10 delay\$4 and @ad<"20011102" and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 11:16
S21	34	overload\$4 near10 respons\$4 near10 time\$4 and @ad<"20011102" and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 11:19
S22	29	weight\$4 near10 respons\$4 near10 time\$4 and @ad<"20011102" and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 11:22
S23	0	weight\$4 near10 respons\$4 near10 ping\$4 and @ad<"20011102" and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	<b>⊙</b> R	OFF	2004/12/29 11:22
S24	1	weight\$4 near10 ping\$4 and @ad<"20011102" and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/29 11:22